

	Type	L #	Hits	Search Text	DBs
<b>1</b>	<b>BRS</b>	<b>L1</b>	<b>5502</b>	<b>(710/316 or 711/113 or 711/138 or 711/163 or 711/165 or 714/5 or 714/6).ccls.</b>	<b>US-PGPUB ; USPAT; EPO; JPO; IBM_TDB</b>
<b>2</b>	<b>BRS</b>	<b>L2</b>	<b>1</b>	<b>((fault\$4 or defect\$4 or fail\$4) with (cach\$4 or buffer\$4)) with (path or route or address\$4 or direct\$4) with (switch\$4 or router select\$4) with network\$4) and 1</b>	<b>US-PGPUB ; USPAT; EPO; JPO; IBM_TDB</b>
<b>3</b>	<b>BRS</b>	<b>L3</b>	<b>1</b>	<b>((fault\$4 or defect\$4 or fail\$4) with (cach\$4 or buffer\$4)) with (path or route or address\$4 or direct\$4) with (switch\$4 or router select\$4) with network\$4) and 1</b>	<b>US-PGPUB</b>



	<b>Time Stamp</b>
<b>1</b>	<b>2005/08/01 11:56</b>
<b>2</b>	<b>2005/08/01 11:58</b>
<b>3</b>	<b>2005/08/01 11:58</b>



# Interference Search 1/2

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	5502	(710/316 or 711/113 or 711/138 or 711/163 or 711/165 or 714/5 or 714/6).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
2	BRS	L2	1	((fault\$4 or defect\$4 or fail\$4) with (cach\$4 or buffer\$4)) with (path or route or address\$4 or direct\$4) with (switch\$4 or router select\$4) with network\$4) and 1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
3	BRS	L3	1	((fault\$4 or defect\$4 or fail\$4) with (cach\$4 or buffer\$4)) with (path or route or address\$4 or direct\$4) with (switch\$4 or router select\$4) with network\$4) and 1	US-PGPUB



	<b>Time Stamp</b>
<b>1</b>	<b>2005/08/01 11:56</b>
<b>2</b>	<b>2005/08/01 11:58</b>
<b>3</b>	<b>2005/08/01 11:58</b>